



**2022 OREGON SOFT WINTER WHEAT YIELD TRIALS**  
**Moro- Kaseberg Site (No-Till)**



Site Description: Trial was relatively uniform.

Variety	Herbicide Resistance	Class	2022 Yield		2-Year		3-Year		4-Year		Best Estimate* Yield bu/ac
			Yield bu/ac	Rank	Yield bu/ac	Rank	Yield bu/ac	Rank	Yield bu/ac	Rank	
LCS Artdeco		SWW	123	1	97	2	95	2	94	1	94 ± 5
15-451104B		SWW	116	3							93 ± 11
M-Pire (2021 TMC Exp.)		SWW	115	5							92 ± 11
LCS Shine		SWW	116	4	97	1	95	1	92	2	92 ± 5
LCS Blackjack		SWW	110	12	92	7	92	5	91	3	91 ± 5
LCS Jefe (LWW17-8185)		SWW	121	2	95	3	92	4			90 ± 6
M-Press		SWW	114	6	92	5	93	3	89	4	89 ± 5
AP Exceed		SWW	111	7	93	4					88 ± 8
WB1720		SWW	110	9							87 ± 11
OR2180149		SWW	110	11							87 ± 11
SY Dayton		SWW	110	10	91	8	90	6	87	5	87 ± 5
LWW19-6591		SWW	109	13							86 ± 11
SY Assure		SWW	108	14	92	6	89	7	86	6	86 ± 5
Rosalyn		SWW	110	8	88	15	88	8	85	7	85 ± 5
LWW19-1576		SWW	108	15							85 ± 11
LCS Drive		SWW	100	39	90	10	88	9	85	8	85 ± 5
LWW19-6219		SWW	108	16							85 ± 11
LWW17-5877		SWW	107	18	90	9					85 ± 8
Norwest Tandem		SWW	104	26	89	11	87	10	84	9	84 ± 5
OR2170559		SWW	104	25	89	12					83 ± 8
UIL 16-072025		SWW	106	20							83 ± 11
ORI2190027 CL+	CL+	SWW	101	32	88	13					82 ± 8
ARS09500-17CBW		Club	105	21							82 ± 11
ORI2190025 CL+	CL+	SWW	96	52	88	14					82 ± 8
LWW19-2232		SWW	105	24							82 ± 11
AP Iliad		SWW	101	35	87	17	84	11			81 ± 6
OR2160264		SWW	105	22	86	18					81 ± 8
WA8371		SWW	103	28							80 ± 11
UIL 17-7706 CL+	CL+	SWW	103	27	85	19					80 ± 8
LWW19-5862		SWW	102	29							79 ± 11
OR5180071		Club	101	33	85	23					79 ± 8
09PN118-02 CL2	CL+	SWW	97	48	84	24					79 ± 8
Cameo		Club	101	31	84	25					79 ± 8
VI Voodoo CL+	CL+	SWW	107	17	87	16	80	12			78 ± 6
OR2160243		SWW	99	42	83	26					78 ± 8
Nixon		SWW	102	30	79	36	79	14	78	10	78 ± 5
VI Presto CL+	CL+	SWW	99	40	85	22	80	13	78	11	78 ± 5
UIL 14-085001A		SWW	100	36							77 ± 11
Stingray CL+	CL+	SWW	99	41	82	30	78	19	77	12	77 ± 5
Sockeye CL+	CL+	SWW	105	23	83	27	79	15			77 ± 6
Bobtail		SWW	98	43	80	32	79	17	76	13	76 ± 5
Piranha CL+	CL+	SWW	106	19	85	21	79	16			76 ± 6
UI Magic CL+	CL+	SWW	100	37	82	28	78	18	76	14	76 ± 5
Appleby CL+	CL+	SWW	101	34	85	20	77	20	75	15	75 ± 5
WB1621		SWW	98	44							75 ± 11
Norwest Duet		SWW	100	38	82	29	74	24	75	16	75 ± 5
WB1922		SWW	97	47							74 ± 11
OR2130755		SWW	97	49	82	31	76	22	74	17	74 ± 5
IDO2008		SWW	97	46	79	34					74 ± 8
OR2180377		SWW	97	50							74 ± 11
WA8307		SWW	96	51	79	35	76	23			73 ± 6
Stephens		SWW	98	45	80	33	76	21	73	18	73 ± 5
OR2x2 CL+	CL+	SWW	94	53	76	37	73	25	72	19	72 ± 5
UIL 15-423062A		SWW	85	54							62 ± 11
		Average	104		86		83		81		81
		LSD (0.05)	7								
		CV (%)	5.1								

\*Best linear unbiased estimators (BLUEs) are best estimators of variety performance relative to other varieties, based on up to four years of data.



## 2022 OREGON SOFT WINTER WHEAT YIELD TRIALS Moro- Kaseberg Site (No-Till)



Site Description: Trial was relatively uniform.

Variety	Class	Quality*	Height in	Test Weight lbs/bu	Protein %
LCS Artdeco	SWW	A	36.3	60.2	7.2
15-451104B	SWW		39.3	59.0	7.1
M-Pire (2021 TMC Exp.)	SWW		36.3	62.2	7.3
LCS Shine	SWW	MD	36.3	60.4	6.9
LCS Blackjack	SWW	D	38.0	58.4	7.1
LCS Jefe (LWW17-8185)	SWW		38.3	60.8	6.8
M-Press	SWW	D	41.0	60.4	7.3
AP Exceed	SWW		40.3	62.5	7.2
WB1720	SWW		37.0	61.8	7.5
OR2180149	SWW		40.7	59.1	6.7
SY Dayton	SWW	A	38.7	61.6	7.4
LWW19-6591	SWW		38.3	60.5	7.0
SY Assure	SWW	D	37.3	61.9	7.4
Rosalyn	SWW	A	37.0	58.6	7.0
LWW19-1576	SWW		36.3	60.1	7.3
LCS Drive	SWW	D	33.3	59.8	7.8
LWW19-6219	SWW		39.3	61.2	7.4
LWW17-5877	SWW		36.7	62.2	7.9
Norwest Tandem	SWW	A	35.7	61.6	7.8
OR2170559	SWW		37.0	60.2	7.6
UIL 16-072025	SWW		39.9	60.1	7.0
ORI2190027 CL+	SWW		38.3	61.2	7.4
ARS09500-17CBW	Club		41.0	62.2	7.2
ORI2190025 CL+	SWW		38.3	59.7	7.4
LWW19-2232	SWW		44.3	59.9	7.0
AP Iliad	SWW	A	38.7	60.5	7.2
OR2160264	SWW		39.0	60.3	7.5
WA8371	SWW		39.7	61.5	6.8
UIL 17-7706 CL+	SWW		37.0	61.0	7.7
LWW19-5862	SWW		39.3	59.4	7.3
OR5180071	Club		39.7	59.7	6.4
09PN118-02 CL2	SWW		38.7	60.8	7.9
Cameo	Club		41.0	60.3	7.5
VI Voodoo CL+	SWW	D	34.7	60.4	7.3
OR2160243	SWW		38.7	59.7	7.4
Nixon	SWW	MD	40.7	61.0	7.6
VI Presto CL+	SWW	D	42.7	62.3	7.8
UIL 14-085001A	SWW		41.0	60.2	7.4
Stingray CL+	SWW	D	37.7	60.9	7.7
Sockeye CL+	SWW	MD	41.7	60.0	6.9
Bobtail	SWW	MD	37.3	57.9	7.5
Piranha CL+	SWW	D	41.7	60.7	7.0
UI Magic CL+	SWW	D	36.0	61.5	7.8
Appleby CL+	SWW	D	41.0	60.8	7.8
WB1621	SWW		39.3	62.0	7.3
Norwest Duet	SWW	D	44.3	60.3	7.4
WB1922	SWW		41.7	62.7	7.5
OR2130755	SWW		43.0	61.1	7.4
IDO2008	SWW		39.7	60.9	7.6
OR2180377	SWW		37.3	57.7	7.3
WA8307	SWW		40.7	59.7	7.2
Stephens	SWW	D	38.0	60.2	8.7
OR2x2 CL+	SWW	D	40.3	60.2	7.6
UIL 15-423062A	SWW		41.0	59.6	7.9
Average			39.0	60.6	7.4
LSD (0.05)			1.4	0.4	0.5
CV (%)			2.6	0.4	4.8

\*Quality ratings assigned by the USDA Western Wheat Quality Laboratory.

Quality Ratings: MD = Most Desirable; D = Desirable; A = Acceptable; LD = Least Desirable; UCS = Unacceptable Except Customer-Specific Uses



**2022 OREGON SOFT WINTER WHEAT YIELD TRIALS**  
**Moro- Kaseberg Site (No-Till)**



**Site Description: Trial was relatively uniform.**

Planting Date: 10-5-2021

Harvest Date: 8-22-2022

Site Location: 45.5761, -120.8226

Fertility: 88-10-0-6S During Planting

Row Spacing: 15"

Fungicides: 13.7 oz/acre Trivapro on 5-17-2022

Plot Length: ~15'

Plot Width: 5'

Trial Design: 3-Replicate Alpha-Lattice