



2020 OREGON SOFT SPRING YIELD TRIAL  
Klamath Falls



Site Description: Trial was flood irrigated prior to planting.

No best estimates for yield are provided because only one year of data is available.

Variety	Class	2020 Yield		2-Year Average		3-Year Average		4-Year Average		Best Estimate* Yield bu/ac
		Yield bu/ac	Rank	Yield bu/ac	Rank	Yield bu/ac	Rank	Yield bu/ac	Rank	
IDO1702S	SWS	98	1							
Ryan	SWS	97	2							
IDO1404S	SWS	94	3							
IDO1401S	SWS	91	4							
AP Coachman	SWS	90	5							
WB6341	SWS	90	6							
10PN2013-02	SWS	88	7							
Tekoa	SWS	84	8							
WB6121	SWS	83	9							
Melba	Club	81	10							
IDO1405S	SWS	81	11							
Alpowa	SWS	80	12							
	Average	88								
	LSD (0.05)	10								
	CV (%)	8								

\*Best linear unbiased estimators (BLUEs) are best estimators of variety performance relative to other varieties, based on up to four years of data.



2020 OREGON SOFT SPRING YIELD TRIAL  
Klamath Falls



Site Description: Trial was flood irrigated prior to planting.

Variety	Class	Quality*	Test Weight lbs/bu	Protein %
IDO1702S	SWS		64.0	10.2
Ryan	SWS	MD	62.6	10.4
IDO1404S	SWS		63.7	10.6
IDO1401S	SWS		62.5	10.4
AP Coachman	SWS		63.0	11.0
WB6341	SWS	MD	63.2	9.4
10PN2013-02	SWS		63.6	11.4
Tekoa	SWS	MD	64.1	11.2
WB6121	SWS	D	63.0	11.6
Melba	Club	MD	63.2	11.5
IDO1405S	SWS		62.4	11.3
Alpowa	SWS		64.3	10.7
	Average		63.3	10.8
	LSD (0.05)		0.7	0.2
	CV (%)		1	1

\*Quality rating based on data from the USDA Western Wheat Quality Laboratory.

Quality Ratings: MD = Most Desirable; D = Desirable; A=Acceptable; LD = Least Desirable; UCS = Unacceptable Except Customer-Specific Uses



**2020 OREGON SOFT SPRING YIELD TRIAL  
Klamath Falls**



**Site Description: Trial was flood irrigated prior to planting.**

Planting Date: 5-26-2020

Harvest Date: 9-17-2020

Fertilizer: 72 lbs N, 72 lbs P, 72 lbs K, 96 lbs S topdress after planting

Row Spacing: 6"

Fungicides: None