



**2020 OREGON HARD WINTER ELITE YIELD TRIALS
Pomeroy (Conventional Tillage)**



Site Description: Trial was relatively uniform.

Variety	Class	2020 Yield		2-Year Average		3-Year Average		4-Year Average		Best Estimate* Yield bu/ac
		Yield bu/ac	Rank	Yield bu/ac	Rank	Yield bu/ac	Rank	Yield bu/ac	Rank	
LWH16-10541	HRW	114	3							97 ± 14
WA 8289	HRW	115	2	94	2	96	3			92 ± 8
LCS Jet	HRW	116	1	94	1	97	2	90	1	90 ± 7
LCS Rocket	HRW	113	4	93	3	99	1	89	2	89 ± 7
LCS Zoom	HRW	111	5	92	4	94	4	88	3	88 ± 7
OR2160011R	HRW	107	7	89	7					88 ± 10
Scorpio (WA 8268)	HRW	110	6	90	5	92	5	88	4	88 ± 7
OR2150168H	HWW	102	10							85 ± 14
LCS Aymeric	HRW	107	8	90	6	91	6	84	5	84 ± 7
OR2170052H	HWW	101	12							83 ± 14
Keldin	HRW	102	11	83	10	87	8	83	6	83 ± 7
OR2160008R	HRW	99	14	84	9					82 ± 10
LCS Evina	HRW	99	15	86	8	88	7	81	7	81 ± 7
WB 4394	HRW	97	20	82	12					81 ± 10
Millie	HWW	94	23	79	15	85	10	81	8	81 ± 7
OR2150100R	HRW	98	16							81 ± 14
AP Redeye (05PN044-20)	HRW	100	13	82	13					81 ± 10
Irv	HWW	105	9	83	11	86	9	81	9	81 ± 7
OR2160169R	HRW	98	17							80 ± 14
LWH17-5083	HRW	97	19							80 ± 14
IDO1906	HWW	96	21							79 ± 14
WB 4311 (XA 4104)	HRW	92	25	79	16	81	11	79	10	79 ± 7
OR2160065H	HWW	97	18	80	14					79 ± 10
Guardian (CO13D0787)	HRW	94	22							77 ± 14
Canvas (CO12D1770)	HRW	93	24							77 ± 10
WB 4623 CLP	HRW	89	26	75	17	77	12	75	11	75 ± 7
Clearstone CL2	HRW	80	28	70	18	72	14	70	12	70 ± 7
Brawl CL Plus	HRW	77	29	65	19	69	15	68	13	68 ± 7
WB 4303	HRW	65	30	64	20	73	13			68 ± 8
CO15D098R	HRW	81	27							64 ± 14
	Average	98		83		86		81		81
	LSD (0.05)	6								
	CV (%)	4								

*Best linear unbiased estimators (BLUEs) are best estimators of variety performance relative to other varieties, based on up to four years of data.



**2020 OREGON HARD WINTER ELITE YIELD TRIALS
Pomeroy (Conventional Tillage)**



Site Description: Trial was relatively uniform.

Variety	Class	Quality*	Height in	Test Weight lbs/bu	Protein %
LWH16-10541	HRW		34.5	62.9	9.2
WA 8289	HRW		33.5	63.1	9.0
LCS Jet	HRW	A	33.3	63.2	9.5
LCS Rocket	HRW	D	34.0	63.1	9.0
LCS Zoom	HRW	A	35.3	62.1	9.1
OR2160011R	HRW		35.8	63.4	9.4
Scorpio (WA 8268)	HRW		35.5	63.1	9.4
OR2150168H	HWW		33.5	64.3	10.2
LCS Aymeric	HRW		33.0	62.8	8.9
OR2170052H	HWW		37.3	63.6	9.3
Keldin	HRW	A	36.8	64.9	9.7
OR2160008R	HRW		34.8	62.5	10.0
LCS Evina	HRW	D	37.5	64.1	10.0
WB 4394	HRW		40.0	65.2	10.3
Millie	HWW		35.8	65.4	10.4
OR2150100R	HRW		33.8	64.5	10.8
AP Redeye (05PN044-20)	HRW		35.3	65.0	9.9
Irv	HWW		36.0	63.7	9.0
OR2160169R	HRW		36.8	64.5	10.4
LWH17-5083	HRW		41.5	64.4	9.7
IDO1906	HWW		34.3	64.3	10.1
WB 4311 (XA 4104)	HRW		34.3	64.9	11.4
OR2160065H	HWW		36.5	63.2	10.8
Guardian (CO13D0787)	HRW		36.3	65.7	10.4
Canvas (CO12D1770)	HRW		34.3	65.4	10.3
WB 4623 CLP	HRW	MD	36.8	64.1	11.5
Clearstone CL2	HRW	D	40.3	63.6	10.7
Brawl CL Plus	HRW		37.0	65.4	11.7
WB 4303	HRW		36.3	64.5	11.6
CO15D098R	HRW		37.3	65.2	10.0
	Average		35.9	64.1	10.0
	LSD (0.05)		1.3	0.8	0.5
	CV (%)		3	1	4

*Quality rating based on data from the USDA Western Wheat Quality Laboratory.

Quality Ratings: MD = Most Desirable; D = Desirable; A=Acceptable; LD = Least Desirable; UCS = Unacceptable Except Customer-Specific Uses



**2020 OREGON HARD WINTER ELITE YIELD TRIALS
Pomeroy (Conventional Tillage)**



Site Description: Trial was relatively uniform.

Planting Date: 10/2/2019

Harvest Date: 7/22/2020

Site Location: 46.502959, -117.553333

Planting Method: Conventional Drill

Row Spacing: 7.5"

Fungicides: 4 oz Nexicor and 2 oz Topaz at herbicide timing (3/18/2020),
7 oz Nexicor and 2 oz Topaz at flagleaf (5/19/2020)